



MID-RISE SCISSOR LIFT

# SPRINTER

**FAST AND MOBILE**



## ADD A WORK BAY WHEREVER, WHENEVER

- ✓ Up and running in seconds
- ✓ No bolts or compressed air needed for installation
- ✓ Covers most of the activities in your workshop

**3200 KG**

Made  
in  
Germany





## MID-RISE SCISSOR LIFT

# SPRINTER

## The top mid-rise lift

With a lifting height of 990 mm, the SPRINTER is your best ally for most of your workshop activities. The SPRINTER is easy to install and easy to move. A solid steel construction and a premium quality hydraulic system make it enduring and reliable, ready to lift everything, from very small cars up to off-road vehicles and heavy SUVs.



- ✓ Can be installed without bolts on almost every flat and solid surface
- ✓ Anti-skid lifting platforms are galvanized and lengthwise adjustable with one hand
- ✓ Solid steel construction


## Covers most of your repair shop activities

The SPRINTER is an efficient and mobile solution for tire service, painting, body work and more. **360° access** brings you a vast range of possibilities.

## Reliable hydraulic system

The hydraulic system of the lift works with two independent cylinders. The mechanic synchronization is done by torsion bars at the bottom of the lift: No wear, no noise.

### SPRINTER: UP AND RUNNING IN SECONDS



SPRINTER Mobil 3200 for off-road and SUV vehicles

Flaps to increase the length of the ramps, easy to lock and unlock

Included: Set of 4 polymer pads (50x150x340 mm)

Mobile set to move your lift easily and quickly

## THE PLUS FOR YOUR SHOP

- **Flexible**  
This lift is easy to move with the mobile set
- **Fast and easy to set up<sup>2</sup>**  
We deliver the lift fully assembled after being tested at the factory
- **Fast lifting and lowering times**  
The powerful oil submerged motor in the power unit guarantees short lifting and lowering times



## FAST AND MOBILE

SPRINTER	3200
Lifting capacity (kg)	3200
Lifting / lowering time approx. (sec)	15
Lifting height (mm)	990
Drive-on height (mm)	100
Total width (mm)	1770
Platform width (mm)	450
Platform length (mm)	1400-2010
Power supply (V / Hz / A)	400 / 50 / 16
Motor (kW)	3

### ACCESSORIES



Fire galvanization of scissors and base plate for corrosive environment



Polymer pads  
50x150x340 mm (included)



Polymer pads  
100x150x340 mm



Pyramid pad



Tuning ramps for low or sports cars, set of 4 units

**More accessories available**